


筒車規格件表 / CONVERSION CHART

P1

							
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER
機型	規格	針座	針板	主送具	差送具	押具	上叉
C007J-W121 C858J /CH	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	MH41
C007J-U121 C858J /CH	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	—
C007J-W121 C858J /CH/UTP(UTR)	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	MH41
C007J-U121 C858J /CH/UTQ(UTS)	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	—
C007J-W122 C858J /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41
C007J-U122 C858J /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MT01
C007J-W122 C858J /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MT01
C007J-W122 C858J /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	UYYX128GAS #10
C007J-W122 C858J /CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41
C007J-W122 C858J /CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MT01
							UYX128GAS #10

註 : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A

P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2446-A代替P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2446-A.

筒車規格件表 / CONVERSION CHART

P2

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號
C007J-U122 C858J /CHE/UTQ(UTS)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UYX128GAS #10
C007J-W122 C858J /CHA	356	M5356	E3826Q	D4206	H4458	P0216-A	MH41	MT01	UYX128GAS #10
C007J-U122 C858J /CHA	356	M5356	E3826Q	D4206	H4458	P0416-A	—	MT01	UYX128GAS #10
C007J-W123 C858J /CH	240 248 356 364	M5240 M5248 M5356 M5364	E3534P E3535P E3836P E3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41 MT01	UYX128GAS #10	
C007J-U123 C858J /CH	240 248 356 364	M5240 M5248 M5356 M5364	E3534P E3535P E3836P E3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01	UYX128GAS #10
C007J-W132 C858J /CHE	240 248 356 364	M5240 M5248 M5356 M5364	E2324P E2325P E2326P E2327P	D2109 D2109 D2110 D2110	H2219 H2219 H2220 H2220	P2904-A P2905-A P2906-A P2907-A	MH41	MT01	UYX128GAS #10
C007J-W132 C858J /CHE/UTP(UTR)	356 364	M5356 M5364	E2326P E2327P	D2110	H2220	P2906-A P2907-A	MH41	MT01	UYX128GAS #10

註 : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌P2565-A^替P2544-A/P2545-A

P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.
P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌P2466-A^替P2446-A/P2447-A
P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

簡車規格件表 / CONVERSION CHART

P3

							
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER LOOPER NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉 勾針 鈿針
C007J-W152 C858J/CZ/UTP/RLQ	356 364	M5356 M5364	E4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41 MT01 UYX128GAS #10
C007J-U152 C858J/CZ/CLA/UTP/RLQ	356 364	M5356 M5364	E4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41 MT01 UYX128GAS #10
C007J-U152 C858J/CLA/UTQ/RLQ	356 364	M5356 M5364	E4326P E4327P	D3216 D3217	H3262 H3263	P2416-A P2417-A	— MT01 UYX128GAS #10
C007J-W162 C858J	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41 MT01A TVX5 #14~16
C007J-U162 C858J	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MT01A TVX5 #14~16
C007J-W162 C858J/UTP (UTR)	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41 MT01A TVX5 #14~16
C007J-U162 C858J/UTQ (UTS)	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MT01A TVX5 #14~16

註 : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌P2565-A代替P2544-A/P2545-A
 P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.
 P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌P2466-A代替P2446-A/P2447-A
 P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

筒車規格件表 / CONVERSION CHART

P4

機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針距
C007J-W222 C858J/CQ	240 248 356 364	M5240 M5248 M5356 M5364	E4124P E4125P E4426P E4427P	D3216 D3216 D3216 D3217	H3362 H3362 H3362 H3363	P1814-A P1815-A P2116-A P2117-A	MH41 —	MT01	UYX128GAS #10
C007J-W222 C858J/CQA/CLA	256	M5356	E2326Q	D2110	H2220Q	P2906Q-A	MH41	MT01A	TVX5 #14
C007J-W322 C858J/CC	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UYX128GAS #10
C007J-U322 C858J/CC	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UYX128GAS #10
C007J-W322 C858J/CC/JTP(UJR)	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41	MT01	UYX128GAS #10
C007J-U322 C858J/UTQ(UTS)	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	—	MT01	UYX128GAS #10

09/12/11

註(1) : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替 P2544-A/P2545-A

P2446-A/P2447-A是 the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A. P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替 P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

註(2) : C007J-W/U322A-356 /CC 時 , 該針板與送具改用 C007J-W/U122-356 之針板與送具 , 加附CHJ-A

When W/U322A-356 /CC, The needle plate and the feed dog have to be replaced by C007J-W/U122-356 needle plate and the feed dog , with CHJ-A attached.

簡車規格件表 / CONVERSION CHART

P5

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針頭
C007J-W322 C858J /CE	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01	UYX128GAS #10
C007J-U322 C858J /CE	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01	UYX128GAS #10
C007J-W322 C858J CE/UTP(UTR)	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01	UYX128GAS #10
C007J-U322 C858J CE/UTQ(UJS)	356 364	M5356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01	UYX128GAS #10

註：P2544-A/P2545-A為固定式押具舌，亦可使用活動式押具舌P2565-A代替P2544-A/P2545-A。

09/12/11

P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.
P2446-A/P2447-A為固定式押具舌，亦可使用活動式押具舌P2466-A代替P2446-A/P2447-A
P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.



筒車規格件表 / CONVERSION CHART

P6

							
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER
機型	規格	針座	針板	主送具	差送具	押具	上叉
C007J-W512 C858J /FE(FFC)	232 240 356 364	M5232 M5240 M5356 M5364	E3523R E3524R E3826R E3827R	D4205 D4206 D4206 D4207	H4457 H4458 H4458 H4459	P2913-A P2914-A P3216-A P3217-A	— MH41 MT01 MT01
C007J-U512 C858J /FE(FFC)	240 356 364	M5240 M5356 M5364	E3524R E3826R E3827R	D4206 D4206 D4207	H4458 H4458 H4459	P3414-A P3716-A P3717-A	MT01 UYX128GAS #10
C007J-W522 C858J /FE(FFC)/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41 MT01 UYX128GAS #10
C007J-U522 C858J /FE(FFC)/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	— MT01 UYX128GAS #10
C007J-W532/ CR/UTP/CL/RLP/CX	232 356 364	M5232 M5356 M5364	E6423R E6426R E6427R	D3219 D3222	H3265 H3268	P3813R-A P3816R-A P3817R-A	MH41 MT01 UYX128GAS #10
C007J-U532/ C858J/UTQ/CL/RLP/CX	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41 MT01 UYX128GAS #10
C007J-W922/ CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459W	P2428Q-A P2448Q-A	MH41 MT01B (MY1014B#70,S7256)
C007J-W922/ C858J/CW/UTP	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459W	P2428Q-A P2448Q-A	MH41 MT01B (MY1014B#70,S7256)
C007J-W922/ C858J/CW/UTR	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459W	P2428Q-A P2448Q-A	MH41 MT01B (MY1014B#70,S7256)

簡單規格件表 / CONVERSION CHART

P7

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號
C007J-W811 C858J/CRL/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007J-W811A C858J/CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216R E0217R	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007J-U811 C858J/CRL/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14
C007J-U811A C858J/CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007J-W811A C858J/CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007J-U811 C858J/CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215R E0216R E0217R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14
C007J-U811A C858J/CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0215Q E0216Q E0217Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14
C007J-W812 C858J/CRL/RL	232 248 356 364	M5232 M5248 M5356 M5364	E0223R E0225R E0226R E0227R	D2101Q	H2203R	P2763-A P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10
C007J-W812A C858J/CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10
C007J-U812 C858J/CRL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10
C007J-U812A C858J/CRL/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10

註：C007J-W812A/W813A機型之針板與差送具為5排齒。


The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007J-W812/W813機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

筒車規格件表 / CONVERSION CHART

P8

							
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MATN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER LOOPER NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉 勾針 鈿號
C007J-W812 C858J-CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41
C007J-W812A C858J-CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41
C007J-U812A C858J-CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—
C007J-U812A C858J-CRL/UTR	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41
C007J-W812A C858J-CRL/UTR	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41
C007J-U812 C858J-CRL/UTS	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41
C007J-U812A C858J-CRL/UTS	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41
C007J-W813 C858J-CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236Q E0237Q	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41
C007J-U813 C858J-CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236R E0237R	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41
C007J-U813A C858J-CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237Q	D2101Q	H2203R	P0965-A P0966-A P0967-A	MT01
C007J-U813A C858J-CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MT01

註: C007J W812A/W813A 機型之針板與差送具為5排齒。



The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007J W812/W813 機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

簡車規格件表 / CONVERSION CHART

P9

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號
C007J-W813 C858J/[CRL]/UTR	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q H2203R		P2765-A P2766-A P2767-A	MH41	MTC1	TVX5 #14
C007J-W813A C858J/[CRL]/UTR	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237Q	D2101Q H2203Q		P2765-A P2766-A P2767-A	MH41	MTC1	TVX5 #14
C007J-U813 C858J/[CRL]/UTS	248 356 364	M5248 M5356 M5364	E0235Q E0236R E0237R	D2101Q H2203R		P0965-A P0966-A P0967-A	MH41	MTC1	TVX5 #14
C007J-U813A C858J/[CRL]/UTS	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q H2203Q		P0965-A P0966-A P0967-A	MH41	MTC1	TVX5 #14
C007J-W822 C858J/[CRL]/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q H2203R		P2765-A P2766-A P2767-A	MH41	MTC1	UYX128GAS #10
C007J-W823 C858J/[CRL]/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q H2203R		P2765-A P2766-A P2767-A	MH41	MTC1	TVX5 #14
C007J-U822 C858J/[CRL]/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q H2203R		P0965-A P0966-A P0967-A	—	MTC1	UYX128GAS #10
C007J-U823 C858J/[CRL]/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q H2203R		P0965-A P0966-A P0967-A	—	MTC1	TVX5 #14
C007J-W822 C858J/[CRL]/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q H2203R		P2765-A P2766-A P2767-A	MH41	MTC1	UYX128GAS #10
C007J-W823 C858J/[CRL]/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q H2203R		P2765-A P2766-A P2767-A	MH41	MTC1	TVX5 #14

註：C007J-W812A/W813A機型之針板與差送具為5排齒。

The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007J-W812/W813機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

筒車規格件表 / CONVERSION CHART

P10

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針
C007J-U822 C858J CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01 UYX128GAS #10
C007J-U823 C858J CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01 TVX5 #14
C007J-U822 C858J CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01 UYX128GAS #10
C007J-U823 C858J CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01 TVX5 #14

筒車規格件表 / CONVERSION CHART

P11

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	CAM	NEEDLE
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	偏心口轉	針號
C007J-W522 C858J-W522 /FE(FFC)/CRA/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	MH41E	MT01	MF01-A	UYX128GAS #11
C007J-U522 C858J-U522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	—	MT01	MF01-A	UYX128GAS #11
C007J-U522 C858J-U522 /FE(FFC)/CRB/CL	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3116 P3117	MH41E	MT01	MF01-A	UYX128GAS #11
C007J-W532/ C858J-W532/ CRA/UTP/CL/RLP/CX-A	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	MH41E	MT01	MF01-A	UYX128GAS #11
C007J-U532/ C858J-U532/ CRA/UTP/CL/RLP/CX-A	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	—	MT01	MF01-A	UYX128GAS #11
C007J-W532/ C858J-W532/ CRA/UTP/CL/RLP/CX-B	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	MH41E	MT01	MF01-A	UYX128GAS #11
C007J-U532/ C858J-U532/ CRA/UTP/CL/RLP/CX-B	356 364	M5356 M5364	E 6426P E 6427P	D 3222	H 3268	P3816Q P3817Q	MH41E	MT01	MF01-A	UYX128GAS #11

同車直驅伺服馬達規格件表 / CONVERSION CHART

P1

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE Motor
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號馬達
C007JD-C858JD-W121 /CH	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	MH41	MT01	UYYX128GAS #10
C007JD-U121 /CH	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	—	MT01	UYYX128GAS #10
C007JD-C858JD-W121 /CH/UTP(UTR)	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	MH41	MT01	UYYX128GAS #10
C007JD-U121 /CH/UTP(UTS)	356 364	M5356 M5364	E3816P E3817P	D4206 D4207	H4458 H4459	P2446-A P2447-A	—	MT01	UYYX128GAS #10
C007JD-C858JD-W122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UYYX128GAS #10
C007JD-C858JD-U122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UYYX128GAS #10
C007JD-C858JD-W122 /CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	MH41	MT01	UYYX128GAS #10

註 : P2544-A/P2545-A 為固定式押具舌,亦可使用活動式押具舌 P2565-A^{代替} P2544-A/P2545-A

P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A 為固定式押具舌,亦可使用活動式押具舌 P2466-A^{代替} P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

筒車直驅伺服馬達規格件表 / CONVERSION CHART

P2

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE	MOTOR
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號	馬達
C007JD-U122 C858JD CH/UTQ(UTS)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E3524P E3525P E3826S E3826P E3827P	D4206 D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2446-A P2447-A	—	MT01	UYYX128GAS #10	
C007JD-W122 C858JD /CHA	356	M5356	E3826Q	D4206	H4458	P0216-A	MH41	MT01	UYYX128GAS #10	
C007JD-U122 C858JD /CHA	356	M5356	E3826Q	D4206	H4458	P0416-A	—	MT01	UYYX128GAS #10	
C007JD-C858JD-W123 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E3534P E3535P E3836P E3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41	MT01	UYYX128GAS #10	[H] T501HE
C007JD-C858JD-U123 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E3534P E3535P E3836P E3837P	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	—	MT01	UYYX128GAS #10	
C007JD-C858JD-W132 /CHE	240 248 356 364	M5240 M5248 M5356 M5364	E2324P E2325P E2326P E2327P	D2109 D2109 D2110 D2110	H2219 H2219 H2220 H2220	P2904-A P2905-A P2906-A P2907-A	MH41	MT01	UYYX128GAS #10	
C007JD-C858JD-W132 /CHE/UTP(UTR)	356 364	M5356 M5364	E2326P E2327P	D2110	H2220	P2906-A P2907-A	MH41	MT01	UYYX128GAS #10	

註 : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A


P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

簡車直驅伺服馬達規格件表 / CONVERSION CHART

P3

							
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER LOOPER NEEDLE Motor
機型	規格	針座	針板	主送具	差送具	押具	上叉 勾針 針號 馬達
C007JD-W152 C858JD/CZP/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41 MT01 UYX128GAS #10
C007JD-U152 C858JD/CZP/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41 MT01 UYX128GAS #10
C007JD-U152 C858JD/CLA/RLQ	356 364	M5356 M5364	E4326 E4327	D3216 D3217	H3262 H3263	P2416-A P2417-A	MH41 MT01 UYX128GAS #10
C007JD-W162 C858JD	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41 MT01A TVX5 #14~16
C007JD-U162 C858JD	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	— MT01A TVX5 #14~16
C007JD-W162 C858JD/UTP (UTR)	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41 MT01A TVX5 #14~16
C007JD-U162 C858JD/UTQ (UTS)	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544-A P2545-A P2446-A P2447-A	MH41 MT01A TVX5 #14~16

註 : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替P2544-A/P2545-A

P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

簡車直驅伺服馬達規格件表 / CONVERSION CHART

P4

							
MODEL 機型	SUB-CLASS 規格	NEEDLE CLAMP 針座	NEEDLE PLATE 針板	MAIN FEED DOG 主送具	DIFF. FEED DOG 差送具	PRESSER FOOT 壓具	SPREADER 上叉
C007JD-W222 C858JD/CC	240 248 356 364	M5240 M5248 M5356 M5364	E4124P E4125P E4426P E4427P	D3216 D3216 D3216 D3217	H3362 H3362 H3362 H3363	P1814-A P1815-A P2116-A P2117-A	MH41
C007JD-U222 C858JD/CC	256	M5356	E2326Q	D2110	H2220Q	P2906Q-A	MH41
C007JD-W322 C858JD/CC	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41
C007JD-U322 C858JD/CC	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MT01
C007JD-W322 C858JD/UTP(UTR)	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MH41
C007JD-U322 C858JD/UTQ(UTS)	356 364	M5356 M5364	E2826P E2827P	D2107L D2107L	H3259M H3259M	P2456-A P2457-A	MT01


註(1) : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌 P2565-A代替 P2544-A/P2545-A
P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌 P2466-A代替 P2446-A/P2447-A
P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

註(2) : C007JD-W/U322A-356/CC 時, 該針板與送具改用 C007JD-W/U122-356 之針板與送具, 加附CHJ-A
C858JD
When W/U322A-356/CC, The needle plate and the feed dog have to be replaced by C007JD-W/U122-356 needle plate and the feed dog , with CHJ-A attached.

筒車直驅伺服馬達規格件表 / CONVERSION CHART

P5

								
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN DOG	DIFF. DOG	PRESSER FOOT	SPREADER	LOOPER
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針
C007JD C858JD /CE	356 364	M53356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01
C007JD-U322 C858JD /CE	356 364	M53356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01
C007JD-W322 C858JD CE/UTP(UTR)	356 364	M53356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	MH41	MT01
C007JD-U322 C858JD CE/UTQ(UTS)	356 364	M53356 M5364	E2626P E2627P	D2107	H3159	P2456-A P2457-A	—	MT01
								UYYX128GAS #10 T501HE

註 : P2544-A/P2545-A為固定式押具舌,亦可使用活動式押具舌P2565-A代替P2544-A/P2545-A

P2544-A/P2545-A is the fixed presser foot tongue. It can be replaced by the removable presser foot tongue P2565-A.

P2446-A/P2447-A為固定式押具舌,亦可使用活動式押具舌P2466-A代替P2446-A/P2447-A

P2446-A/P2447-A is the fixed presser tongue. It can be replaced by the removable presser foot tongue P2466-A.

筒車直驅伺服馬達規格件表 / CONVERSION CHART

P6

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED. DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE Motor
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針馬連
C007JD C858JD-W512 /FE	240 356 364	M5240 M5356 M5364	E3524R E3826R E3827R	D4206 D4206 D4207	H4458 H4458 H4459	P2914-A P3216-A P3217-A	MH41	MT01	UYX128GAS #10
C007JD-U512 C858JD /FE	240 356 364	M5240 M5356 M5364	E3524R E3826R E3827R	D4206 D4206 D4207	H4458 H4458 H4459	P3414-A P3716-A P3717-A	—	MT01	UYX128GAS #10
C007JD-W522 C858JD /FE/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10
C007JD-U522 C858JD /FE/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	—	MT01	UYX128GAS #10
C007JD-W532/ C858JD CR/JTP/CL/RLP/CX	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10
C007JD-C858JD-U532/ CR/JTQ/CL/RLP/CX	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R-A P3817R-A	MH41	MT01	UYX128GAS #10
C007JD-C858JD CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (WY1014B#70, SY7256)
C007JD-W922/ C858JD CW/JTP	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (WY1014B#70, SY7256)
C007JD-W922/ C858JD CW/JTR	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428Q-A P2448Q-A	MH41	MT01B	SMX1014B#10 (WY1014B#70, SY7256)

註： C007JD/C858JD不可加裝FFC

FFC can not be attached to C007JD/C858JD.

同車直驅伺服馬達規格件表 / CONVERSION CHART

P7

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE 號	Motor 馬達
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號	馬達
C007JD-C858JD /CRL/RL	W811 356	M5248 M5356 E0215R E0216R E0217R	E0215Q M5364 D2101Q H2203R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/RL	W811A 356	M5248 M5356 E0215Q E0216R E0217Q	E0215Q M5364 D2101Q H2203R	D2101Q	H2203Q	P2765-A P2766-A P0966-A P0967-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/RL	U811A 356	M5248 M5356 E0215Q E0216R E0217R	E0215Q M5364 D2101Q H2203R	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/UTP/RL	W811 356	M5248 M5356 E0215Q E0216R E0217R	E0215Q M5364 D2101Q H2203R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/UTP/RL	W811A 356	M5248 M5356 E0215Q E0216R E0217R	E0215Q M5364 D2101Q H2203Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/UTQ/RL	W811 356	M5248 M5356 E0215Q E0216R E0217Q	E0215Q M5364 D2101Q H2203Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/UTQ/RL	W811A 356	M5248 M5356 E0215Q E0216R E0217Q	E0215Q M5364 D2101Q H2203Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14	
C007JD-C858JD /CRL/UTQ/RL	W811A 356	M5248 M5356 E0225R E0226R E0227R	E0225R M5364 D2101Q H2203R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-C858JD /CRL/RL	W812 356	M5248 M5356 E0225R E0226R E0227R	E0225R M5364 D2101Q H2203Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-C858JD /CRL/RL	W812A 356	M5248 M5356 E0225R E0226R E0227R	E0225R M5364 D2101Q H2203Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD-C858JD /CRL/RL	W812A 356	M5248 M5356 E0225Q E0226Q E0227Q	E0225Q M5364 D2101Q H2203Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD-C858JD /CRL/RL	W812A 356	M5248 M5356 E0225Q E0226Q E0227Q	E0225Q M5364 D2101Q H2203Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	

註 : C007JD-C858JD -W812A/W813A 機型之針板與差送具為5排齒。

The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007JD-W812/W813 機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

簡車直驅伺服馬達規格件表 / CONVERSION CHART

P8

MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE PLATE	Motor
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號	馬達
C007JD C858JD /CRL/JTP/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/JTP/RL	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227Q	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD C858JD /CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/UTR	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	□ T501HE
C007JD C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0225Q E0226Q E0227Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10	
C007JD C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	
C007JD C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10	

註 : C007JD -W812A/W813A 機型之針板與差送具為5排齒。



The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007JD -W812/W813 機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

同車直驅伺服馬達規格件表 / CONVERSION CHART

P9

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE Motor
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號馬達
C007JD C858JD /CRL/JTR	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007JD C858JD /CRL/JTR	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007JD C858JD /CRL/UTS	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14
C007JD C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14
C007JD C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10
C007JD C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14
C007JD C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	UYX128GAS #10
C007JD C858JD /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	MH41	MT01	TVX5 #14
C007JD C858JD /CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	UYX128GAS #10
C007JD C858JD /CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765-A P2766-A P2767-A	MH41	MT01	TVX5 #14

註：C007JD - W812A/W813A機型之針板與差送具為5排齒。

The needle plate and the differential feed dog of W812A/W813A model are five teeth.

C007JD - W812/W813 機型之針板與差送具為4排齒。

The needle plate and the differential feed dog of W812/W813 model are four teeth.

同車直驅伺服馬達規格件表 / CONVERSION CHART

P10


MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE Motor
機型	規格	針座	針板	主送具	差送具	押具	上叉	勾針	針號 馬達
C007JD_U822 C858JD_CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10
C007JD_U823 C858JD_CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14
C007JD_U822 C858JD_CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	UYX128GAS #10
C007JD_U823 C858JD_CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965-A P0966-A P0967-A	—	MT01	TVX5 #14
									[H] T501HE

簡車直驅伺服馬達規格件表 / CONVERSION CHART

P11


MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	CAM	NEEDLE
機型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 鈕	偏心轉輪	針 頭
C007JD-W522 C858JD-C858JD /FE(FFC)/CRB/CL /FE(FFC)/CRB/CL	356 364	M5356 M5364	E6426P E6427P	D3222	H3268	P3116 P3117	MH41E	MT01	MF01-A	UYX128GAS #11
C007JD-U522 C858JD-C858JD /CRL/CL	356 364	M5356 M5364	E6426P E6427P	D3222	H3268	P3116 P3117	—	MT01	MF01-A	UYX128GAS #11
C007JD-W812 C858JD-C858JD /CRL/RL	348 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41E	MT01	MF91-A	UYX128GAS #11
C007JD-U812 C858JD-C858JD /CRL/RL	348 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	MF91-A	UYX128GAS #11
C007JD-W813 C858JD-C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41E	MT01	MF91-A	UYX128GAS #11
C007JD-U813 C858JD-C858JD /CRL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	MF91-A	UYX128GAS #11

C007JD PARTS LIST FOR MF GROUP P.1/1




C007JD PARTS LIST FOR MG GROUP P.1/1


A





B




C



D




MG35J-A




E


C007JD PARTS LIST FOR MH GROUP P.1/1



C007JD PARTS LIST FOR MJ GROUP P.1/1



C007JD PARTS LIST FOR MK GROUP P.1/1



C007JD PARTS LIST FOR MN GROUP P.1/2

A

MZ36

SM581

SM581-A

SM531

MN08

MN09

MN03*2

MN03-E

KX08*2

WM850

KX08

WM810

KX04

KX05


B

C

D

E


C007JD PARTS LIST FOR MN GROUP P.2/2




FOR C007J/C007JD/S007K/S007KD

10/05/20

C007JD PARTS LIST FOR MQ-J GROUP P.1/1




C007JD PARTS LIST FOR MR_J GROUP P.1/1




C007JD PARTS LIST FOR MS GROUP P.1/1

FOR C007J


MS08D-C1 = A + B + C + D + E + F
MS 系列 MT 系列 MU 系列 MV 系列




FOR C007JD





MS108-A = A + B
MS 系列 MT 系列




MS07-E *MS107-E
MS 系列 MT 系列



MS14H-E
MS14H




C007JD PARTS LIST FOR MT GROUP P.1/1




1 FOR C007J/C007JD/C858J/C858JD
*USE FOR C007JD/C858JD

10/05/20


C007JD PARTS LIST FOR MU GROUP P.1/1




C007JD PARTS LIST FOR MV GROUP P.1/1



C007JD PARTS LIST FOR MW GROUP P.1/1



C007JD PARTS LIST FOR MY GROUP P.1/1



C007JD PARTS LIST FOR MZ GROUP P.1/1

MZ-K




TABLE CUT-OUT OF C007-T22

C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED
單位/UNIT:mm
FOR CRB

所有尺寸公差/DIFFERENCE: ± 2
C007-T22-1070長度(L):1070/重量:11.5kg $\pm 5\%$
C007-T22長度(L):1200/重量:12.5kg $\pm 5\%$
全封邊灰格紋光塑面台板

三針簡車下乘桌板圖





TABLE CUT-OUT OF C007-T23

三針筒車下乘桌板圖


C007J/C007JD/S007K/S007KD SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位/UNIT:mm

FOR一般車及自動切線

所有尺寸公差/DIFFERENCE: ± 2 C007-T23-1070長度(L):1070/重量:11.5kg $\pm 5\%$ C007-T23長度(L):1200/重量:12.5kg $\pm 5\%$

全封邊灰格紋光塑面台板



B-B剖面




TABLE CUT-OUT OF C007-T24

三針筒車上乘桌板圖

C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED

FOR 一般車及自動切線

所有尺寸公差/DIFFERENCE: ± 2 C007-T24-1070長度(L):1070/重量:11.3kg $\pm 5\%$ C007-T24 長度(L):1200/重量:12.3kg $\pm 5\%$

全封邊灰格紋光塑面台板




TABLE CUT-OUT OF C007-T25

三針筒車上乘桌板圖

C007J/C007JD/S007K/S007KD SERIES

TABLE CUT-OUT SEMI-SUBMERGED

FOR CRL.CRL/UTP.Q

所有尺寸公差/DIFFERENCE: ± 2 C007-T25-1070長度(L):1070/重量:11.3kg $\pm 5\%$ C007-T25長度(L):1200/重量:12.3kg $\pm 5\%$

全封邊灰格紋光塑面台板




TABLE CUT-OUT OF C007-T26

三針筒車下乘桌板圖

C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位 / UNIT:mm

FOR CFC/CFE

所有尺寸公差 / DIFFERENCE: ±2

C007-T26-1070 長度 (L): 1070 / 重量: 11.4kg ± 5%

C007-T26 長度 (L): 1200 / 重量: 12.4kg ± 5%

全封邊灰格紋光塑面台板




TABLE CUT-OUT OF C007-T30

三針筒車上乘桌板圖

C007J SERIES TABLE CUT-OUT SEMI-SUBMERGED

單位 / UNIT:mm


FOR 印度客戶使用

所有尺寸公差 / DIFFERENCE: ±2

C007-T30-1070 長度 (L): 1070 / 重量: 11.3kg ± 5%

C007-T30 長度 (L): 1200 / 重量: 12.3kg ± 5%

全封邊灰格紋光塑面台板



262

190

85

0

